

Package: cransays (via r-universe)

January 20, 2025

Title Creates an Overview of CRAN Incoming Submissions

Version 0.0.0.9000

Description It scrapes the CRAN incoming FTP folder to find where each submission is.

License MIT + file LICENSE

URL <https://github.com/r-hub/cransays>,
<https://r-hub.github.io/cransays/>

BugReports <https://github.com/r-hub/cransays/issues>

Depends R (>= 4.1.0)

Imports curl, dplyr, glue, lubridate, prettyunits, ps, purrr,
reactable, tibble, tidyr, utils

Suggests knitr, pkgdown, rmarkdown

VignetteBuilder knitr

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

Repository <https://ar-puuk.r-universe.dev>

RemoteUrl <https://github.com/lockedata/cransays>

RemoteRef HEAD

RemoteSha 418dce43dc6b7be9ea6797ba54d554e5755855a3

Contents

download_history	2
take_snapshot	2
Index	3

download_history	<i>Downloads history</i>
------------------	--------------------------

Description

Downloads history of packages on the submission queue as recorded on github branch.

Usage

```
download_history()
```

Details

For some periods github actions recording the data didn't run, so there are some periods with missing data.

Value

A 'data.frame' with columns: - 'package': the package name - 'version': the package submitted version - 'snapshot_time': time of the **cransays** snapshot, in "Europe/Vienna" timezone, same, as the CRAN servers. - 'folder': folder where the submitted package is stored at the time of the snapshot - 'subfolder': subfolder where the submitted package is stored at the time of the snapshot - 'submission_time': time when the package was submitted to CRAN, in "Europe/Vienna" timezone, same as the CRAN servers

take_snapshot	<i>Take Snapshot of CRAN incoming folder</i>
---------------	--

Description

Take Snapshot of CRAN incoming folder

Usage

```
take_snapshot()
```

Value

A data.frame, one line per submission.

Index

`download_history`, [2](#)

`take_snapshot`, [2](#)